

## custom solutions

The Finial Company is known for flexibility. Custom Solutions are our specialty. Whether you need a custom bracket, special miter, or custom match finish, let us create one-of-a-kind drapery hardware to fit your special window.

# custom steel brackets

If you have a special need, we can create the following brackets to your specifications.



**TBKT**  
custom steel tbracket  
please specify:  
A. return (distance from wall to center of cradle)  
B. pole size and profile  
**note:** 3½"H backplate comes standard, unless otherwise specified



**DBL1**  
custom steel double bracket  
please specify:  
A. front pole size and profile  
B. back pole size and profile  
C. rings to be used, if any  
D. front and back returns (distance from wall to center of cradle)  
**note:** returns are contingent upon which poles and rings are chosen  
3½"H backplate comes standard, unless otherwise specified



**BL4**  
custom steel ceiling mount bracket  
please specify:  
A. drop (distance from ceiling to top of pole)  
B. pole size and profile  
C. rings to be used, if any  
**note:** minimum drop is contingent upon which finial and ring are chosen.  
2½"W ceiling plate comes standard, unless otherwise specified



**FBKT**  
custom steel single bracket  
please specify:  
A. return (distance from wall to center of cradle)  
B. pole size and profile  
**note:** 4¾"H backplate may not be modified

Return or drop distance in excess of 8" on any custom bracket will incur additional fees and requires addition of support arm. Custom brackets are shown unfinished.

Want to further customize your steel products? We can add a variety of decorative items to our steel products for you. *Additional charges apply.*



**SL**  
short leaf  
6"L x 1¾"W  
This leaf can be welded to the front of any steel bracket with a maximum return of 3½".  
When ordering your bracket, please specify addition of SL.



**LL**  
long leaf  
11½"L x 1¾"W  
This leaf can be welded to the front of any steel bracket with a maximum return of 8".  
When ordering your bracket, please specify addition of LL.



**SL3**  
steel leaf  
2¼"L x 1¾"W  
SL3 welded to SR3 ring  
This leaf can be welded to any steel ring or steel bracket.  
When ordering your ring or bracket, please specify addition of SL3, and in what position it should be attached.



SL3 welded to SR3 ring

Add any rosette medallion or end cap to the front of any standard or custom steel bracket.

When ordering your bracket, please specify addition of rosette medallion and the following:  
1. which rosette medallion or end cap to be added  
2. attachment method:  
a. machine screw (medallion may easily be changed later)  
b. weld (permanent attachment; only available for steel rosettes or steel end caps)

**please note:** rosette medallions and brackets sold separately additional charges apply



EC1 welded to front of bracket L135, RR100 pole, SR3 rings, finish 620 Weathered Iron

For additional information on how to order custom brackets, please refer to the Retail Price List.

# bypass brackets

Our bypass brackets and C-rings allow continuous ring movement along the length of your pole. These work particularly well for long one-way draw treatments, unusually wide windows, and walls featuring multiple windows.

*Please note: to be used in conjunction with cradle brackets; not for use with curved poles.*

**SCB35**  
single bypass bracket  
standard 3½" return



**SCB6**  
single bypass bracket—  
standard 6" return

**SCBC** NEW  
single bypass bracket—  
custom return

*please specify:*  
A. RR100 (1"),  
RR125 (1¼"), or  
RR175 (1¾") pole

B. return (distance from wall  
to center of cradle)

*note: return may be  
restricted by the size of  
poles and rings specified*

SCB35




**SCBCDBL** NEW  
double bypass bracket  
custom front and back  
return

*please specify:*  
A. RR100 (1"),  
RR125 (1¼"), or  
RR175 (1¾") pole

B. front and back returns  
(distance from wall  
to center of cradle)

*note: return may be  
restricted by the size of  
poles and rings specified*



SCBCDBL



**CRSR3**  
C-ring  
1½"ID x 2"OD  
use with RR100 pole



**CRSR7**  
C-ring  
2¼"ID x 2¾"OD  
use with RR125 pole



**CRSR12**  
C-ring  
2½"ID x 3"OD  
use with RR175 pole



*Return in excess of 8" on any custom bypass bracket will incur additional fees and requires addition of support arm.*

*Custom bypass brackets are shown 680 Aged Gold. For additional information on how to order, please refer to the Retail Price List.*

# swing arms

Swing Arms can be a nice solution for window treatments in front of doors, shutters, and other unique areas where the drapery panel needs to conveniently swing out of the way.



**large swing arm**  
maximum length 36"  
1" Dia pole RD125  
8½"H x 1¼"W backplate  
L9328 finial: 1¼" Dia, included  
350G Statuary Bronze with Gold

*please note: Available with scroll  
(as shown) or without; must specify.  
Other finials may be substituted.  
Replacement finial sold separately.*



**small swing arm**  
maximum length 20"  
½" Dia pole 50SRB  
4"H x ⅝"W backplate  
EC4 finial: ¾"L x 1½"W, included  
350G Statuary Bronze with Gold

*please note: Other finials may be  
substituted. Replacement finial sold  
separately.*

*For additional information on how to order, please refer to the Retail Price List.*

# finial adaptors





If the finial you want isn't shown in the diameter you need, ask us to add a finial adaptor, for a nominal fee. The finial adaptor acts as the new finial base.

Finials are located in certain diameter categories based on the following criteria:


- the finial base fits the pole without additional modification
- finial shape and size is in proportion to the pole diameter

Finial Adaptor Tips:

- It is typically easier and more visually pleasing to adapt a finial to a larger diameter pole, rather than a smaller diameter pole.
- Many finials are located in multiple size categories because they look appropriate for several pole sizes; you may not need an adaptor.

	base adaptor size	use for pole diameters
	small: 1 3/8" Dia	1/2", 3/4", 1", 1 1/4"
	medium: 2" Dia	1 1/2" - 1 3/4"
	large: 3" Dia	2" - 2 1/4"
	FC1: 2 1/2" Dia	1 1/2" - 1 3/4", 2" - 2 1/4"

# custom tiebacks



**TBA**  
6"L x 4 1/2" projection  
100 Polished Steel\*  
attach finial or rosette of choice to face or tip of TBA.  
pictured with 1651 finial  
*finial sold separately*



**STBA1**  
8"L x 6 1/2" projection  
610 Cobalt Bronze  
attach finial or rosette of choice  
pictured with R73 rosette  
*rosette sold separately*

*\*please note: there is an upcharge for this custom finish; please refer to price list for details.*

# custom pole returns

- Bent and mitered return fees are charged per corner; returns over 6" incur additional charges.
- Double pole treatments are also available with bent or mitered returns on the front pole. Please call us for more details.

## steel pole bent returns



*3/4" 75HSRB with 90° Bent Returns, finish 107 Bronze with Gold and Gray*

Available for 1/2" 5OSRB, 3/4" 75RD and 75HSRB poles only.  
 Backplate: 1 3/8" Dia (for 5OSRB) or 2" Dia (for 75RD and 75HSRB)  
 Pole length and return must be specified; please refer to Retail Price List for list of required measurements.  
 Sold in one foot increments, 2 foot minimum charge.

## steel pole mitered returns



*1 1/4" SRT2 with Mitered Returns, finish 250 Platinum*

Available for any steel pole, except 1 1/4" TWCH125 and 1 3/4" TWCH  
 Backplate: 3"H x 1 1/2"W or 3 1/2"H x 2"W, depending on pole diameter  
 Pole length and return must be specified; please refer to Retail Price List for list of required measurements.  
 Sold in one foot increments, 2 foot minimum charge.  
 Ring inner diameter must clear the mitered pole corner, if used. See chart in Retail Price List.

## wood pole mitered returns



*2 1/4" 225FL with Mitered Returns, finish 650 Hickory*

Available for any wood pole, except 1 3/8" 138TW, 2" 2TR, 2 1/4" 225TR, and 3" 3TR.  
 Pole length and return must be specified; please refer to Retail Price List for list of required measurements.  
 Sold in 2 foot increments, 2 foot minimum charge.  
 Ring inner diameter must clear the mitered pole corner, if used. See chart in Retail Price List.

**please note:** Your choice of bracket supports the main length of pole, while the mitered return is joined to the pole via wood glue and nails. Rings and/or draperies should not be installed on the mitered return. Return butts against the wall, and is not attached to the wall. Weight should not be placed on the wood mitered return.

# bay window and corner window solutions

We can miter wood poles, steel poles, and traverse fascia to fit any corner...



## miters for wood poles

- We can miter our wood poles at any angle for you.




Shown: 90° inside corner miter for 225VWG wood pole, WL1 steel brackets, finish 710 Tarnished Silver



Shown: 90° outside corner miter for 225VWS wood pole, WL1 steel brackets, finish 710 Tarnished Silver

miters and soft bends are great for situations like these....



## miters for traverse wood fascia

- We cannot miter traverse system tracks, but the traverse wood fascia can connect and miter at the corner.



*Shown: 120° mitered bay corner for standard corded traverse system, 225FL wood fascia, finish 740 Smoky Mocha; bronze track, bracket, and components*

## miters and soft bends for steel poles

- Miters are available for all steel poles, except for 1¼" TWCH125 and 1¾" TWCH.
- Soft bends at a 90° angle or larger are only available for ½" 50SRB, ¾" 75RD and 75HSRB poles.



*Shown: 120° soft bend bay corner for 75HSRB steel pole, L135 steel brackets, finish 730 Rose Gold*

# arched window solutions

- Available for 1/2" 50SRB, 3/4" 75RD and 75HSRB, 1" SRT1, 1 1/4" RD125, SRT2, TWCH125, and 1 1/2" TRT steel poles only.
- Some poles will need to be cut at apex (center) for shipping; some arches cannot be achieved.
- Arched poles with splices are subject to additional bending fees.

**IMPORTANT:** A template is required to ensure accuracy of production. For information on how to create your template, please refer to the Retail Price List.

## standard arch

arch height is equal or greater than half the arch width

## eyebrow arch

arch height is less than half the arch width



shown: SR3 rings welded onto 1 1/4" TWCH125 pole  
ARBE and L135 brackets  
finish 350G Statuary Bronze with Gold

**ARBC**  
arched rod center bracket  
Please specify return (distance from wall to center of cradle)

**note:** cannot be used for installations with rings (brackets without eyelet cradles may be substituted)




**ARBE**  
arched rod end brackets  
Sold in pairs only  
Please specify return (distance from wall to center of cradle) and pole being used.  
Cups are custom made to style of pole.

**note:** outer ring can only reach 1 1/2" from end of pole due to the bracket cup




## do you need a vertical or horizontal arch?



Vertical Arch Installation  
great for arched windows

**please note:** If using rings for vertical arch installation, rings must be welded into place. Ring position must be noted on your template. Outermost rings must be 1 1/2" minimum from end of pole due to ARBE bracket cup. Rings sold separately.



Horizontal Arch Installation  
great for curved bay windows

Any steel bracket or finial may be used for this type of arch.

For additional information on how to order, please refer to the Retail Price List.